



What Is Claimed Is:

1. A compound of Formula I:




wherein each of R^1 , R^2 and R^3 is independently selected from hydrido, alkyl, alkoxy, cyano, halo, hydroxy, nitro, amino, alkylamino, carboxyl, alkoxy carbonyl, formyl, alkylcarbonyl and haloalkylcarbonyl; with the proviso that at least one of R^1 , R^2 and R^3 must be a substituent other than hydrido, and with the further proviso that when each of R^1 and R^3 is hydrido, then R^2 cannot be chloro; wherein R^4 is selected from hydrido, alkyl, halo, haloalkyl, formyl, carboxyl and alkoxyalkyl; wherein R^5 is selected from alkyl, phenyl, phenylalkyl, cycloalkyl and cycloalkylalkyl; and wherein R^6 is an acidic group selected from COOH and



or a stereoisomer or a tautomer thereof or a pharmaceutically-acceptable salt thereof.


2. Compound of Claim 1 wherein each of R^1 , R^2 and R^3 is independently selected from hydrido, methyl, ethyl, n-propyl, isopropyl, tert-butyl, methoxy, ethoxy, propoxy, isopropoxy, tert-butoxy, cyano, fluoro, chloro, bromo, iodo, hydroxy, nitro, amino, N-methylamino, N,N-dimethylamino, N-ethylamino, N,N-diethylamino, carboxyl, methoxycarbonyl, ethoxycarbonyl, formyl, methylcarbonyl,

ethylcarbonyl and trifluoromethylcarbonyl; with the proviso that at least one of R^1 , R^2 and R^3 must be a substituent other than hydrido, and with the further proviso that when each of R^1 and R^3 is hydrido, then R^2 cannot be chloro; wherein R^4 is selected from hydrido, methyl, fluoro, chloro, monofluoromethyl, difluoromethyl, trifluoromethyl, formyl, carboxyl and dimethoxymethyl; wherein R^5 is selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert-butyl, n-pentyl, isopentyl, neopentyl, phenyl, benzyl, phenethyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylmethyl, cyclopropylethyl, cyclobutylmethyl, cyclobutylethyl, cyclopentylmethyl, cyclopentylethyl, cyclohexylmethyl and cyclohexylethyl; and wherein R^6 is an acidic group selected from COOH and



or a stereoisomer or a tautomer thereof or a pharmaceutically-acceptable salt thereof.

3. Compound of Claim 2 wherein R^1 is selected from methyl, ethyl, n-propyl, isopropyl, tert-butyl, hydroxy, methoxy, fluoro, bromo, iodo, carboxyl, amino, cyano, formyl, methylcarbonyl and trifluoromethylcarbonyl; wherein each of R^2 , R^3 and R^4 is hydrido; wherein R^5 is selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert-butyl and n-pentyl; and wherein R^6 is




or a stereoisomer or a tautomer thereof or a pharmaceutically-acceptable salt thereof.

- 5 4. Compound of Claim 3 selected from compounds, their stereoisomers and tautomers, and the pharmaceutically-acceptable salts thereof, said compounds consisting of

1- (2-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-
10 tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1- (2-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1- (2-propylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-
15 tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1- (2-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
20 1- (2-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1- (2-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-
25 one;
1- (2-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1- (2-bromophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-
30 5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1- (2-iodophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1- (2-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-
35 one;

- 1-(2-hydroxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-cyanophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-carboxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-aminophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-acetylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one; and
- 1-(2-trifluoroacetylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one.

5. Compound of Claim 2 wherein each of R¹, R² and R³ is independently selected from methyl, ethyl, n-propyl, isopropyl, tert-butyl, hydroxy, methoxy, fluoro, bromo, iodo, carboxyl, amino, cyano, formyl, methylcarbonyl and trifluoromethyl-carbonyl; wherein R³ may further be hydrido; wherein R⁴ is hydrido; wherein R⁵ is selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert-butyl and n-pentyl; and wherein R⁶ is



- or a stereoisomer or a tautomer thereof or a pharmaceutically-acceptable salt thereof.

6. Compound of Claim 5 selected from compounds, their stereoisomers and tautomers, and the pharmaceutically-acceptable salts thereof, said compounds consisting of

- 5 1-(2,6-dimethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-ethyl-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-
- 10 one;
- 1-(2-propyl-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-isopropyl-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-
- 15 imidazol-2-one;
- 1-(2-tertbutyl-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 20 1-(2-fluoro-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-chloro-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-
- 25 imidazol-2-one;
- 1-(2-bromo-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-methoxy-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-
- 30 imidazol-2-one;
- 1-(2-carboxy-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 35 1-(2-acetyl-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;

- 1-(2-methyl-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2,6-diethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 5 1-(2-propyl-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 10 1-(2-isopropyl-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 15 1-(2-tertbutyl-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 20 1-(2-fluoro-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-chloro-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 25 1-(2-methoxy-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-carboxy-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 30 1-(2-acetyl-6-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 35 1-(2-methyl-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)][1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;

- 1-(2-ethyl-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-propyl-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 5 1-(2,6-diisopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 10 1-(2-tertbutyl-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-fluoro-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 15 1-(2-chloro-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-bromo-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 20 1-(2-methoxy-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 25 1-(2-carboxy-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-acetyl-6-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 30 1-(2-methyl-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-ethyl-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 35

- 1-(2-propyl-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-isopropyl-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 5 1-(2,6-ditertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 10 1-(2-fluoro-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-chloro-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 15 1-(2-bromo-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-methoxy-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 20 1-(2-carboxy-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 25 1-(2-acetyl-6-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-methyl-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 30 1-(2-ethyl-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-propyl-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 35

- 1-(2-isopropyl-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-tertbutyl-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 5 1-(2-fluoro-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 10 1-(2-chloro-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-bromo-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 15 1-(2-methoxy-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-carboxy-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 20 1-(2-acetyl-6-fluorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 25 1-(2-methyl-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-ethyl-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 30 1-(2-propyl-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-isopropyl-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 35

- 1-(2-tertbutyl-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-fluoro-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 5 1-(2,6-dichlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 10 1-(2-bromo-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-methoxy-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 15 1-(2-carboxy-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-acetyl-6-chlorophenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 20 1-(2-methyl-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-ethyl-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 25 1-(2-propyl-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 30 1-(2-isopropyl-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 1-(2-tertbutyl-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 35

1-(2-fluoro-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1-(2-chloro-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1-(2-bromo-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1-(2,6-dimethoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
1-(2-carboxy-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one; and
1-(2-acetyl-6-methoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one.

7. Compound of Claim 4 which is 1-(2-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

8. Compound of Claim 4 which is 1-(2-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

9. Compound of Claim 6 which is 1-(2,6-dimethoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

10. Compound of Claim 6 which is 1-(2-chloro-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

5

11. Compound of Claim 6 which is 1-(2,6-dimethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

10

12. Compound of Claim 6 which is 1-(2,6-diethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

15

13. Compound of Claim 6 which is 1-(2,6-diisopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

20


14. Compound of Claim 6 which is 1-(2,4,6-trimethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

25


15. Compound of Claim 6 which is 1-(2,6-dimethyl-4-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one or a pharmaceutically-acceptable salt thereof.

30

16. A pharmaceutical composition comprising a therapeutically-effective amount of an angiotensin II antagonist compound and a pharmaceutically-acceptable carrier or diluent, said antagonist compound selected from a family of compounds of Formula I:




- wherein each of R^1 , R^2 and R^3 is independently selected from hydrido, alkyl, alkoxy, cyano, halo, hydroxy, nitro, amino, alkylamino, carboxyl, alkoxy carbonyl, formyl, alkylcarbonyl and haloalkylcarbonyl; with the proviso that at least one of R^1 , R^2 and R^3 must be a substituent other than hydrido, and with the further proviso that when each of R^1 and R^3 is hydrido, then R^2 cannot be chloro; wherein R^4 is selected from hydrido, alkyl, halo, haloalkyl, formyl, carboxyl and alkoxyalkyl; wherein R^5 is selected from alkyl, phenyl, phenylalkyl, cycloalkyl and cycloalkylalkyl; and wherein R^6 is an acidic group selected from COOH and



or a stereoisomer or a tautomer thereof or a pharmaceutically-acceptable salt thereof.


17. The composition of Claim 16 wherein each of R¹, R² and R³ is independently selected from hydrido, methyl, ethyl, n-propyl, isopropyl, tert-butyl, methoxy, ethoxy, propoxy, isopropoxy, tert-butoxy, cyano, fluoro, chloro, bromo, iodo, hydroxy, nitro, amino, N-methylamino, N,N-dimethylamino, N-ethylamino, N,N-diethylamino, carboxyl, methoxycarbonyl, ethoxycarbonyl, formyl, methylcarbonyl, ethylcarbonyl and trifluoromethylcarbonyl; with the proviso that at least one of R¹, R² and R³ must be a substituent other than hydrido, and with the further proviso that when each of R¹ and R³ is hydrido, then R² cannot be chloro; wherein R⁴ is selected from hydrido, methyl, fluoro, chloro, monofluoromethyl, difluoromethyl, trifluoromethyl, formyl, carboxyl and dimethoxymethyl; wherein R⁵ is selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert-butyl, n-pentyl, isopentyl, neopentyl, phenyl, benzyl, phenethyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylmethyl, cyclopropylethyl, cyclobutylmethyl, cyclobutylethyl, cyclopentylmethyl, cyclopentylethyl, cyclohexylmethyl and cyclohexylethyl; and wherein R⁶ is an acidic group selected from COOH and



or a stereoisomer or a tautomer thereof or a pharmaceutically-acceptable salt thereof.

18. A composition of Claim 17 wherein each of R¹, R² and R³ is independently selected from methyl, ethyl, n-propyl, isopropyl, tert-butyl, hydroxy, methoxy, fluoro, chloro, bromo, iodo, carboxyl, amino, cyano, formyl, methylcarbonyl and trifluoromethylcarbonyl; with

the proviso that at least one of R¹, R² and R³ must be a
substituent other than hydrido, and with the further
proviso that when each of R¹ and R³ is hydrido, then R²
cannot be chloro; wherein R⁴ is hydrido; wherein R⁵ is
5 selected from methyl, ethyl, n-propyl, isopropyl,
n-butyl, sec-butyl, isobutyl, tert-butyl and n-pentyl;
and wherein R⁶ is



10

or a stereoisomer or a tautomer thereof or a
pharmaceutically-acceptable salt thereof.

19. The composition of Claim 18 wherein said
15 antagonist compound is selected from compounds, their
stereoisomers and tautomers, and the pharmaceutically-
acceptable salts thereof, said compounds consisting of

1-(2-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-
20 tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-
one;

1-(2-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-
(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-
25 imidazol-2-one;

1-(2,6-dimethoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-
(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-
imidazol-2-one;

30

1-(2-chloro-6-methylphenyl)-4-butyl-1,3-dihydro-
3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-
2H-imidazol-2-one;

1-(2,6-dimethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;


5 1-(2,6-diethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;

10 1-(2,6-diisopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;

15 1-(2,4,6-trimethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one; and


20 1-(2,6-dimethyl-4-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one.

20. A therapeutic method for treating a circulatory disorder or a circulatory-related disorder, said method comprising administering to a subject susceptible to or afflicted with such disorder a therapeutically-effective amount of an active compound of Formula I:



30 wherein each of R¹, R² and R³ is independently selected from hydrido, alkyl, alkoxy, cyano, halo, hydroxy, nitro, amino, alkylamino, carboxyl, alkoxycarbonyl, formyl, alkylcarbonyl and haloalkylcarbonyl; with the proviso


that at least one of R^1 , R^2 and R^3 must be a substituent other than hydrido, and with the further proviso that when each of R^1 and R^3 is hydrido, then R^2 cannot be chloro; wherein R^4 is selected from hydrido, alkyl, halo, haloalkyl, formyl, carboxyl and alkoxyalkyl; wherein R^5 is selected from alkyl, phenyl, phenylalkyl, cycloalkyl and cycloalkylalkyl; and wherein R^6 is an acidic group selected from COOH and



or a stereoisomer or a tautomer thereof or a pharmaceutically-acceptable salt thereof.

21. The method of Claim 20 wherein each of R^1 , R^2 and R^3 is independently selected from hydrido, methyl, ethyl, n-propyl, isopropyl, tert-butyl, methoxy, ethoxy, propoxy, isopropoxy, tert-butoxy, cyano, fluoro, chloro, bromo, iodo, hydroxy, nitro, amino, N-methylamino, N,N-dimethylamino, N-ethylamino, N,N-diethylamino, carboxyl, methoxycarbonyl, ethoxycarbonyl, formyl, methylcarbonyl, ethylcarbonyl and trifluoromethylcarbonyl; with the proviso that at least one of R^1 , R^2 and R^3 must be a substituent other than hydrido, and with the further proviso that when each of R^1 and R^3 is hydrido, then R^2 cannot be chloro; wherein R^4 is selected from hydrido, methyl, fluoro, chloro, monofluoromethyl, difluoromethyl, trifluoromethyl, formyl, carboxyl and dimethoxymethyl; wherein R^5 is selected from methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert-butyl, n-pentyl, isopentyl, neopentyl, phenyl, benzyl, phenethyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylmethyl, cyclopropylethyl, cyclobutylmethyl, cyclobutylethyl, cyclopentylmethyl, cyclopentylethyl, cyclohexylmethyl and cyclohexylethyl;


and wherein R⁶ is an acidic group selected from COOH and



5 or a stereoisomer or a tautomer thereof or a
pharmaceutically-acceptable salt thereof.

22. The method of Claim 21 wherein each of R¹,
R² and R³ is independently selected from methyl, ethyl,
10 n-propyl, isopropyl, tert-butyl, hydroxy, methoxy,
fluoro, chloro, bromo, iodo, carboxyl, amino, cyano,
formyl, methylcarbonyl and trifluoromethylcarbonyl; with
the proviso that at least one of R¹, R² and R³ must be a
substituent other than hydrido, and with the further
15 proviso that when each of R¹ and R³ is hydrido, then R²
cannot be chloro; wherein R⁴ is hydrido; wherein R⁵ is
selected from methyl, ethyl, n-propyl, isopropyl,
n-butyl, sec-butyl, isobutyl, tert-butyl and n-pentyl;
and wherein R⁶ is

20



or a stereoisomer or a tautomer thereof or a
pharmaceutically-acceptable salt thereof.

25

23. The method of Claim 22 wherein said compound is selected from compounds, their stereoisomers and tautomers, and the pharmaceutically-acceptable salts thereof, said compounds consisting of

- 5 1-(2-ethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 10 1-(2-isopropylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 15 1-(2,6-dimethoxyphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 20 1-(2-chloro-6-methylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 25 1-(2,6-dimethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 30 1-(2,6-diethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one;
- 35 1-(2,4,6-trimethylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one; and

1-(2,6-dimethyl-4-tertbutylphenyl)-4-butyl-1,3-dihydro-3-[2'-(1H-tetrazol-5-yl)[1,1'-biphenyl]-4-ylmethyl]-2H-imidazol-2-one.

5 24. The method of Claim 20 wherein said circulatory disorder is a cardiovascular disorder.

 25. The method of Claim 24 wherein said cardiovascular disorder is hypertension.

10

 26. The method of Claim 24 wherein said cardiovascular disorder is congestive heart failure.

 27. The method of Claim 20 wherein said
15 circulatory-related disorder is glaucoma.